



IS 9281

CM/L-9613886



AXPERT

PRODUCT CATALOG



COMPANY PROFILE


Axpert Enterprise established in year 2000 as a leading manufacturer of Electronics Weighing Scales and System with the brand name "AXPERT". The iconic trade mark registered in the same year of establishment. Company always has a vision of expansion and development according to future requirements.

Company develops the product with latest technology available in the market with vision of future requirement. Company caters in India through their strong dealer network as well as working for the Government sectors.

Company has dedicated R&D team for the continuous improvement in existing product range and adding new product by the time.

List of accreditation received as,

- ISO 9001:2015 since Year 2002
- Model approval from Legal Metrology Department, Government of India for 9 types of different weighing scale products.
- BIS Certificate (ISI mark)
- Registered as Micro, Small and Medium Enterprise
- "AXPERT" logo registered under Trademark registration since 2000.
- GEM (Government E-Marketplace) Registered
- CSPO registration, Government of Gujarat



Index

Table Top Scale - Chhotu	2
Table Top Scale - New Small	3
Table Top Scale - Small Metal	4
Table Top Scale - Standard	5
Table Top Scale - Vibrant	6
Table Top Scale - Deluxe	7
Price / Piece - Computing Scale	8
Jewellery Scale	9
High Precision Scale - Lab Series	10
Bench Scale	11
Bench Scale	12
Mobile Scale	13
Plat Form Scale	14
Platform Scale - 4-load Cell	15
Small Crane Scales	16
Crane Scales - Axp-cr Series	17
Hi-temp - Crane Scale	18
Wireless With Printer - Crane Scale	19
20t/30t Crane Scale	20
Baby Scale	21
Coin Scale / Planet Scale	22
Pallet Scale	23
Weigh Bridge	24



An ISO 9001 Company

Table Top Scale CHHOTU



MAIN FEATURES :

- Moulded ABS Body
- 24 bit Σ - Δ ADC (High resolution)
- LCD Display or High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation Function
- In Built Piece Counting function
- Front & Back Display
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
CHHOTU	AXP-01	1 Kg.	100 mg.	170 X 220 mm
CHHOTU	AXP-02	2 Kg.	200 mg.	170 X 220 mm
CHHOTU	AXP-03	3 Kg.	500 mg.	170 X 220 mm
CHHOTU	AXP-05	5 Kg.	500 mg.	170 X 220 mm
CHHOTU	AXP-06	6 Kg.	500 mg.	170 X 220 mm
CHHOTU	AXP-10	10 Kg.	1 g.	170 X 220 mm
CHHOTU	AXP-20	20 Kg.	1/2 g.	170 X 220 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)

Table Top Scale NEW SMALL



MAIN FEATURES :

- Moulded ABS Body with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- In Built Piece Counting function
- Front & Back Display
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
New Small	AXP-01	1 Kg.	100 mg.	175 X 225 mm
New Small	AXP-02	2 Kg.	200 mg.	175 X 225 mm
New Small	AXP-03	3 Kg.	500 mg.	175 X 225 mm
New Small	AXP-05	5 Kg.	500 mg.	175 X 225 mm
New Small	AXP-06	6 Kg.	500 mg.	175 X 225 mm
New Small	AXP-10	10 Kg.	1g.	175 X 225 mm
New Small	AXP-20	20 Kg.	1/2 g.	175 X 225 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)



An ISO 9001 Company

Table Top Scale SMALL METAL



MAIN FEATURES :

- MS Molded Metal Body with SS Top Platter
- 24 bit $\Sigma\Delta$ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- In Built Piece Counting function
- Front & Pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz

Name	Model	Capacity	e-value	Pan Size
Small Metal	AXP-01	1 Kg.	100 mg.	175 x 225 mm
Small Metal	AXP-02	2 Kg.	200 mg.	175 x 225 mm
Small Metal	AXP-03	3 Kg.	500 mg.	175 x 225 mm
Small Metal	AXP-05	5 Kg.	500 mg.	175 x 225 mm
Small Metal	AXP-06	6 Kg.	500 mg.	175 x 225 mm
Small Metal	AXP-10	10 Kg.	1g.	175 x 225 mm
Small Metal	AXP-20	20 Kg.	1/2 g.	175 x 225 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)

Table Top Scale STANDARD



MAIN FEATURES :

- MS Metal / ABS Body & metal base along with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation.
- In Built Piece Counting function
- Front & Back or pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
STD MS/ABS	AXP-05	5 Kg.	500 mg.	240 x 300 mm
STD MS/ABS	AXP-10	10 Kg.	1 g.	240 x 300 mm
STD MS/ABS	AXP-15	15 Kg.	2 g.	240 x 300 mm
STD MS/ABS	AXP-20	20 Kg.	1/2 g.	240 x 300 mm
STD MS/ABS	AXP-30	30 Kg.	1/2/5 g.	240 x 300 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)



An ISO 9001 Company



Table Top Scale VIBRANT



MAIN FEATURES :

- ABS Body & metal body along with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- In Built Piece Counting function
- Front and Back or pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
Vibrant	AXP-05	5 Kg.	500 mg.	240 x 300 mm
Vibrant	AXP-10	10 Kg.	1 g.	240 x 300 mm
Vibrant	AXP-15	15 Kg.	2 g.	240 x 300 mm
Vibrant	AXP-20	20 Kg.	1/2 g.	240 x 300 mm
Vibrant	AXP-30	30 Kg.	1/2/5 g.	240 x 300 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)

Table Top Scale DELUXE



MAIN FEATURES :

- ABS Body & metal base along with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- In Built Piece Counting function
- Front and Back or pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
Delux	AXP-05	5 Kg.	500 mg.	280 x 340 mm
Delux	AXP-10	10 Kg.	1 g.	280 x 340 mm
Delux	AXP-15	15 Kg.	2 g.	280 x 340 mm
Delux	AXP-20	20 Kg.	1/2 g.	280 x 340 mm
Delux	AXP-30	30 Kg.	1/2/5 g.	280 x 340 mm
Delux	AXP-50	50 Kg.	2/5 g.	280 x 340 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)



An ISO 9001 Company

PRICE / PIECE COMPUTING SCALE



MAIN FEATURES :

- ABS Body with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution).
- 3-window High Bright RED / GREEN LED display
- Weather & water proof tactile multi keypad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation.
- 99-In Built Memory
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Front and Back or Pole Display (Optional)
- Only 20-key Keypad
- Direct conversion facility
- In Build 3-window Piece Counting function
- Only 4-wire communication Display
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan size
PC Scale	AXP-20	20 Kg.	2 g.	240 x 340 mm
PC Scale	AXP-30	30 Kg.	2/5 g.	280 x 340 mm
PC Scale	AXP-40	40 Kg.	2/5 g.	280 x 340 mm
PC Scale	AXP-50	50 Kg.	5 g.	280 x 340 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)

JEWELLERY SCALE



MAIN FEATURES :

- ABS Body with SS Top Platter
- 24 bit $\Sigma\Delta$ ADC Having Low Noise for JW Machine (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Carat (Karat) / Tola conversion
- Memory Accumulation.
- In Built Piece Counting function
- Extra Customer Display (Optional)
- A.C. ON Indications
- 8.2 V D.C. 800 mA power Adaptor
- Smart field calibration
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Round Pan Size
JW Scale	AXP-300	300 g.	10 mg.	75 mm dia.
JW Scale	AXP-600	600 g.	10 mg.	75 mm dia.
JW Scale	AXP-1000	1000 g.	10 mg.	100 mm dia.

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Glass & Aluminum made Windshield



An ISO 9001 Company

High Precision Scale LAB SERIES



MAIN FEATURES :

- Moulded ABS Body
- Round SS pan
- EMFC (Magnet) base technology for precision weighing
- Auto Calibration for finer accuracy
- LED or LCD or High Bright Vacuum Fluor cent display (VFD)
- Inbuilt motorized calibration in die-cast enclosure (Optional)
- Weather & water proof tactile key pad
- Poly function: % weighing, counting, fill mode, GSM etc.
- No Battery Back Up available
- SMPS Power Adaptor
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan size
Lab Scale	AXP/H/220	220 g	0.001g (1mg)	100 mm dia.
Lab Scale	AXP/H/320	320 g	0.001g (1mg)	100 mm dia.
Lab Scale	AXP/H/500	500 g	0.001g (1mg)	100 mm dia.
Lab Scale	AXP/H/600	600 g	0.001g (1mg)	100 mm dia.
Lab Scale	AXP/H/1200	1200 g	0.01g (10mg)	100 mm dia.
Lab Scale	AXP/H/3100	3100 g	0.01g (10mg)	100 mm dia.

:: ACCESSORIES ::

- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Glass Windshield
- ABS Moulded Power Adaptor

BENCH SCALE



MAIN FEATURES :

- MS Metal with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- Front and Back or Pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Detachable AC main code
- Battery Replacement without opening scale
- In Built Piece counting function
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size
Bench Scale	AXP-10	10 Kg.	1 g.	300 x 300 mm
Bench Scale	AXP-20	20 Kg.	2 g.	300 x 300 mm
Bench Scale	AXP-30	30 Kg.	2/5 g.	300 x 300 mm
Bench Scale	AXP-40	40 Kg.	2/5 g.	300 x 300 mm
Bench Scale	AXP-50	50 Kg.	5/10 g.	300 x 300 mm
Bench Scale	AXP-60	60 Kg.	5/10 g.	300 x 300 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- USB port (to connect with computer)
- Computer / Printer interface (RS - 232 C)
- Solar Panel (Optional)

BENCH SCALE



MAIN FEATURES :

- MS Metal with ABS Indicator Body & SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Overload Indication - "Help"
- Memory Accumulation
- In Built Piece Counting function
- Front and Pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz
- Only Pole display Option Both Side

Model Name	Model	Capacity	e-value	Pan Size
Bench Scale	AXP-30	30 Kg.	2 g.	360 x 360 mm
Bench Scale	AXP-50	50 Kg.	5 g.	360 x 360 mm
Bench Scale	AXP-60	60 Kg.	5 g.	360 x 360 mm
Bench Scale	AXP-75	75 Kg.	5/10 g.	360 x 360 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- Solar Panel (Optional)

MOBILE SCALE



MAIN FEATURES :

- MS Metal with SS Top Platter
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- Memory Accumulation
- Front and Back or Pole Display (Optional)
- A.C. ON Indications
- Dual / Triple accuracy is also available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Detachable AC main code
- Battery Replacement without opening scale
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size	Pan Size	Pan Size
Mobile Scale	AXP-100	100 Kg.	5 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Mobile Scale	AXP-150	150 Kg.	10 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Mobile Scale	AXP-200	200 Kg.	20 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Mobile Scale	AXP-300	300 Kg.	20 g.	-	500 x 500 mm	600 x 600 mm
Mobile Scale	AXP-500	500 Kg.	50 g	-	500 x 500 mm	600 x 600 mm

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- USB port (to connect with computer)
- Computer / Printer interface (RS - 232 C)
- Solar Panel (Optional)



An ISO 9001 Company

PLAT FORM SCALE



MAIN FEATURES :

- MS Powder coated Heavy duty sturdy Frame structure
- SS / MS chequered top platter available as per requirement
- SS/MS Sturdy grill provided to support heavy loads
- Over load protection Stoppers (Transport Lock)
- Corner over load protection (safety Lock)
- Adjustable, shock resistant platform legs
- CI Casting Indicator stand with Height adjustable pipe set or attached pole as per customer requirement
- ABS / HIPS Moulded Display Indicator
- High Bright RED / GREEN LED display (15mm or 20mm as per requirement)
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion option for Dairy industries use
- A.C. ON Indications
- Dual / Triple accuracy is available
- In Build Piece Counting function
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz

Model Name	Model	Capacity	e-value	Pan Size	Pan Size	Pan Size
Platform Scale	AXP-50	50 Kg.	5 g.	400 x 400 mm	500 x 500 mm	-
Platform Scale	AXP-75	75 Kg.	5 g.	400 x 400 mm	500 x 500 mm	-
Platform Scale	AXP-100	100 Kg.	5/10 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Platform Scale	AXP-150	150 Kg.	10 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Platform Scale	AXP-200	200 Kg.	10/20 g.	400 x 400 mm	500 x 500 mm	600 x 600 mm
Platform Scale	AXP-300	300 Kg.	10/20/50 g.	750 x 750 mm	500 x 500 mm	600 x 600 mm
Platform Scale	AXP-500	500 Kg.	50 g	750 x 750 mm	900 x 900mm	600 x 600 mm
Platform Scale	AXP-1000	1000 Kg.	100 g	750 x 750 mm	900 x 900mm	600 x 600 mm
Platform Scale	AXP-1500	1500 Kg.	1500 g	750 x 750 mm	900 x 900mm	600 x 600 mm

* Platform size can be different as per customer requirement

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- USB port (to connect with computer)
- Computer / Printer interface (RS - 232 C)
- 3-window Price / Piece Counting Indicator

Platform Scale 4-LOAD CELL



MAIN FEATURES :

- MS Powder coated / Oil Painted Heavy duty sturdy Frame structure with MS chequered top platter
- Single Ended share beam 4 Nos. Load Cell
- Adjustable, shock resistant platform MS legs
- CI Casting Indicator stand with Height adj. pipe set
- In built Junction Box For Corner Adjustment.
- ABS / HIPS Moulded Display Indicator
- 24 bit Σ - Δ ADC (High resolution).
- High Bright RED / GREEN LED display (15mm or 20mm as per requirement)
- 50 / 100 mm High Bright RED / GREEN LED Big Extra display Remote wise less option available
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion
- In Built Piece Counting function
- A.C. ON Indications
- Dual / Triple accuracy is available
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value	Pan Size	Pan Size
Platform4LC	AXP - 300	300 Kg.	50 g.	900 x 900 mm	1200 x1200 mm
Platform4LC	AXP - 500	500 Kg.	50 g.	900 x 900 mm	1200 x1200 mm
Platform4LC	AXP - 1000	1000 Kg.	100 g.	900 x 900 mm	1200 x1200 mm
Platform4LC	AXP - 1200	1200 Kg.	200 g.	900 x 900 mm	1200 x1200 mm
Platform4LC	AXP- 1500	1500 Kg.	200 g.	900 x 900 mm	1200 x1200 mm
Platform4LC	AXP - 2000	2000 Kg.	200 g.	1500 X1500 mm	1800 x 1800 mm
Platform4LC	AXP - 3000	3000 Kg.	500 g.	1500 X1500 mm	1800 x 1800 mm
Platform4LC	AXP - 5000	5000 Kg.	500 g.	1500 X1500 mm	1800 x 1800 mm

* Platform size can be different as per customer requirement

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- USB port (to connect with computer)
- Computer / Printer interface (RS - 232 C)
- 3-window Price / Piece Counting Indicator

SMALL CRANE SCALES



MAIN FEATURES :

- Aluminium Casting / ABS / Metal body
- High Bright RED / GREEN LED/LCD display options available
- 24 bit Σ - Δ ADC (High resolution)
- Auto Zero Tracking, Power Saving function
- In Built Battery Back Up
- Auto Calibration for finer accuracy
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Weight hold function (Optional)
- 6V 4Ah/1.2 Ah. SMF Battery Back-up
- Overload Indication - "Help"

Model Name	Model	Capacity	e-value
Hanging Scale	AXP-CR 25	25 Kg.	5 g.
Hanging Scale	AXP-CR 50	50 Kg.	10 g.
Hanging Scale	AXP-CR 100	100 Kg.	50 g.
Hanging Scale	AXP-CR 200	200 Kg.	100 g.
Hanging Scale	AXP-CR 300	300 Kg.	500 g.
Hanging Scale	AXP-CR 500	500 Kg.	500 g.

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- SMPS 8.2 V D.C. 800 mA Power Adaptor

Crane Scales AXP-CR SERIES



MAIN FEATURES :

- Aluminum Die Casting body
- High Bright RED / GREEN Led display
- Auto Zero Tracking, Power Saving function
- 24 bit Σ - Δ ADC (High resolution)
- RF Remote Key Function
- In Built Battery Back Up (2 nos Optional)
- Auto Calibration for finer accuracy
- 6V 4Ah. SMF Battery Back-up
- Power Adapter for battery charging
- Easy Replaceable battery back cover for charging
- Hook with lock
- AC ON Indicator

Model Name	Model	Capacity	e-value
Crain Scale	AXP-CR-1000	1 t.	500 g
Crain Scale	AXP-CR-2000	2 t.	1 kg
Crain Scale	AXP-CR-3000	3 t.	1 kg
Crain Scale	AXP-CR-5000	5 t.	2 kg
Crain Scale	AXP-CR-10000	10 t.	5 kg
Crain Scale	AXP-CR-15000	15 t.	5 kg

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- RF Remote Control Unit
- Power Adaptor 8.2 V D.C. 800 mA Battery Charger
- Big wireless LED Display

HI-TEMP CRANE SCALE



SPECIFICATION

- Die-cast Aluminum alloy housing
- 24 bit Σ - Δ ADC (High resolution)
- High Bright Red / Green / White LED display options available
- LCD display remote Unit / Key remote (Optional)
- In Built Battery Back Up (2 No. Battery Replaceable)
- Impact resistance and anti-EMI housing
- Convenient Remote controller
- American standard eye hook
- Higher working Temperature (optional)
- Wireless signal strength and power supply monitoring system
- Battery over discharge protection circuit
- Adaptor 8.2 V D.C. 800 mA Battery Charger
- Aluminum Alloy heat protector cover

Model Name	Model	Weight kg	e-Value
Hi-Temp Scale	AXP-CR 3t	3000	1 kg.
Hi-Temp Scale	AXP-CR 5t	5000	2 kg.
Hi-Temp Scale	AXP-CR 10t	10000	5 kg.
Hi-Temp Scale	AXP-CR 15t	15000	5 kg.
Hi-Temp Scale	AXP-CR 20t	20000	10 kg.
Hi-Temp Scale	AXP-CR 30t	30000	10 kg.
Hi-Temp Scale	AXP-CR 50t	50000	20 kg.

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- RF Remote Control
- Big Wireless LED Display
- 6v 4Ah Extra Battery

WIRELESS WITH PRINTER CRANE SCALE



SPECIFICATION

- High strength Steel case body
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED /LCD display options available
- In Built Battery Back Up (2 No. Battery Replaceable)
- Impact resistance and anti-EMI housing
- LCD Remote Display unit
- American standard Eye hook
- Higher working Temperature (optional)
- Battery over discharge protection circuit
- Adaptor 8.2 V D.C. 800 mA Battery Charger
- Wireless indicator unit with Thermal Printer

Model Name	Model	Weight kg	e-Value
Wireless Scale	AXP-CR 3t	3000	1 kg.
Wireless Scale	AXP-CR 5t	5000	2 kg.
Wireless Scale	AXP-CR 10t	10000	5 kg.
Wireless Scale	AXP-CR 15t	15000	5 kg.
Wireless Scale	AXP-CR 20t	20000	10 kg.
Wireless Scale	AXP-CR 30t	30000	10 kg.
Wireless Scale	AXP-CR 50t	50000	20 kg.

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- RF Remote Control
- Thermal Printer unit with Display
- Big Wireless LED Display
- 6v 4Ah Extra Battery

20T/30T CRANE SCALE



MAIN FEATURES :

- High strength Steel case body
- 24 bit Σ - Δ ADC (High resolution)
- High Bright RED / GREEN LED display options available
- Integrated Sensor design
- Auto Zero Tracking, Power Saving function
- In Built Battery Back Up
- Auto Calibration for finer accuracy
- Convenient Remote controller
- American standard Eye hook
- Adaptor 8.2 V D.C. 800 mA Battery Charger

Model Name	Model	Full Scale kg	e-value
Crane Scale	AXP-CR-20t	20000	10 kg.
Crane Scale	AXP-CR-30t	30000	10 kg.
Crane Scale	AXP-CR-50t	50000	20 kg.
Crane Scale	AXP-CR-75t	75000	50 kg.
Crane Scale	AXP-CR-100t	100000	50 kg.

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- RF Remote Control
- Wireless Jumbo Display

BABY SCALE



SPECIFICATION

- Full ABS Body with ABS Infant Platter in Baby Scale And ABS Infant platter combined with Adult platform Scale
- 24 bit Σ - Δ ADC (High resolution).
- High Bright RED / GREEN LED display
- LCD display (optional)
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Weight "HOLD" facility
- A.C. ON Indications
- Inbuilt Children Growth Monitoring System available
- Power Supply : 230 V AC $\pm$ 10%, 50 Hz
- Overload Indication - "Help"

Model Name	Model	Capacity	e-Value	Pan Size
Baby Scale	ABS-30	30 Kg.	10 g.	270 x 560 mm
Baby Scale	ABS-50	50 Kg.	10 g.	270 x 560 mm
Baby with Adult Scale	AXP-150	150 Kg.	50 g	400 x 400 mm

* Infant platter size as per customer requirement

:: ACCESSORIES ::

- 6V 4Ah SMF In Built Battery
- Computer / Printer interface (RS - 232 C)
- USB port (to connect with computer)
- USB for collect all data in Pen-drive



An ISO 9001 Company



COIN SCALE / PLANET SCALE



MAIN FEATURES :


- Heavy Duty, stable platform
- Attractive, rugged & Heavy duty powder coated Metal body
- Sufficient size SS platform top to stand
- Digital filtration technology provides distortion free, stable and repeatable weight reading
- Coin options can be altered in different denominations as required
- Designed for various currency as per requirement
- In built Weather & water proof tactile key pad
- Auto Zero Tracking, Power Saving function
- High Bright Red/Green LED Display
- In built Battery Back Up
- A.C. ON Indication
- Smart Coin calculation facility
- Overload Indication - "Help"
- Detachable Power Cable

Model Name	Model	Capacity	e-value	Pan size
Coin Scale/ Planet Scale	AXP-150P	150 KG.	100 g	400 x 400 mm

:: ACCESSORIES ::

- Coin selector to operate the scale only on insertion of coin
- Coin Collector Box
- Solar Power Option
- 6v 4Ah Battery SMF

PALLET SCALE



SPECIFICATION

- Hardwearing Nylon / matel with PU Coated steering wheel & 4 load wheels
- All pivot points with oil less bearings
- Metal will be powder coated
- High intensive frame and forks legs
- In Built Battery Backup
- Overload indication "Help"
- A.C. ON Indication
- Overload Indication - "Help"

Model	W	W1	H	H1	L
Axp550	550mm	160mm	85mm	195mm	1150mm
Axp685	685mm	160mm	85mm	195mm	1150mm

Model Name	Model	Capacity	e-value	Pan/Platform Size
Pallet Scale	Axp 550/685-10	1000 kg	500 gm	1150 x 500 mm
Pallet Scale	Axp 550/685-15	1500 kg	500 gm	1150 x 500 mm
Pallet Scale	Axp 550/685-20	2000 kg	500 gm	1150 x 500 mm
Pallet Scale	Axp 550/685-25	2500 kg	500 gm	1150 x 500 mm

:: ACCESSORIES ::

- Power adaptor
- Remote Wireless Display
- USB port for collect all data in Pen-drive



An ISO 9001 Company



WEIGH BRIDGE



MAIN FEATURES :

- Pit less / Pit type construction
- Higher resolution (e-value)
- Platform size customized as per customer requirement
- Jumbo LED display
- 10,000 Record Memory in Intelligent Terminal
- Connectivity with GSM Modem
- Back-Up in Computer through Excel using Intelligent Terminal
- Analog or Digital load-cell Connectivity with Intelligent Terminal

Model Name	Model	Capacity	e-Value
Weigh bridge	AXP-30	30 t	5 Kg.
Weigh bridge	AXP-40	40 t	10 Kg.
Weigh bridge	AXP-50	50 t	10 Kg.
Weigh bridge	AXP-60	60 t	20 Kg.
Weigh bridge	AXP-100	100 t	20 Kg.

*Platform size and lower resolution models also available as per customer requirement.

:: ACCESSORIES ::

- Computer interface (RS-232 C)
- Wireless RF extra display (optional)

NOTE

Dotted lines for note-taking.



AXPERT ENTERPRISE

E -88, GIDC Electronics Estate
Sector -26, Gandhinagar, Gujarat, INDIA - 382 028
Tele : +91 79 232 87427, Mobile : +91 93749 91015,
Sales : +91 78782 55278, +91 96879 62309

Mail : sales@axpertscale.com, hmpatel@axpertscale.com

Web : www.axpertscale.com